

# DESCRIPTIVE STUDY OF FACTORS AFFECTING NURSES CARING BEHAVIOR

*By* Akhmad Efrizal Amirulloh



## DESCRIPTIVE STUDY OF FACTORS AFFECTING NURSES CARING BEHAVIOR IN BALADHIKA HUSADA JEMBER HOSPITAL

### Introduction

Nurses as nursing care providers must have a caring nature. Caring is the basis of nursing practice which aims to increase attention and care in providing nursing care. The nature of caring is shown by nurses by providing empathy, attention, support, respect and sympathy (Dwidiyanti, 2007), (Potter & Perry, 2009), (Nursing, 2008) and (Vance, 2003). The tendency of nurses to focus more on service physiological needs, and the lack of contact with patients can lead to a lack of psychological care for patients (Greenhalgh & Vanhanen, 1998), (Morrison & Burnard, 2008).

Caring behavior is indispensable in carrying out nursing care, but not all nurses can show caring behavior optimally. (Liu et al., 2013), research on patient perceptions of nurses caring behavior stated that 33.11% of nurses caring behavior was sufficient and 13.95% of nurses caring behavior was bad. Lack of caring for nurses resulted in a decrease in the quality of nursing services and patient satisfaction and increased hospitalization days (Sukesi, 2013) and (Wolf et al., 2003). (Supriatin, 2015) states that most of the nurses caring behavior is lacking. (Sukesi, 2013) stated that 55.8% of patients were not satisfied with the services provided by nurses. (Windarini, 2014) states that nurses already understand caring behavior but are not maximal in applying it. (Sunardi, 2014) stated that the caring behavior level of nurses was 83.6%. Research by (Wahyudi et al., 2017) states that 71% of caring behavior in nurses is good. Research by (Cecilia Solehudin et al., 2019) states that the caring behavior of nurses in the inpatient room is sufficient. (Diah, 2018) mentioned 57.9% good caring behavior of nurses in the inpatient room.

1

Caring behavior is the core of nursing action based on the values of kindness and willingness to help increase patient satisfaction and provide the best for patient health. In the implementation of nursing care, caring behavior can meet physical, emotional and spiritual needs so that it helps the patient's recovery because the patient feels comfortable with nursing care (Brenda & Gregory, 2000). Several factors that influence nurse caring behavior include individual, psychological and organizational factors (Gibson et al., 2010). Swanson, 1991 in (Tomey and Alligod, 1994) states that caring behavior is assessed from Knowing, Being With, Doing For, Enabling, and Maintaining Belief. A preliminary study conducted at the Inpatient Installation in Baladhika Husada Jember Hospital obtained data on various backgrounds that affect the level of nurse caring behavior. Caring behavior is indispensable in providing nursing care. The level of caring behavior in nurses who work in hospitals, especially inpatient installations, varies due to various backgrounds, so that the description of caring behavior is needed by hospital management to maintain the quality of nursing care services and for nurses it is expected to be able to maintain and improve caring behavior in provide nursing care.

### Method

This study used a non-experimental design with a descriptive type and cross sectional approach and was conducted at the Baladhika Husada Hospital Jember during July-August 2020. The population was 62 nurses who served in the inpatient unit, all of whom were taken as samples (total sampling). Data analysis used the One-Sample Binominal test with a significance value of Sig <0.05.

**Result**

Characteristics of Respondents Based on Age and Gender

**Tabel 5.1 Respondents Age Frequency Distribution**

Age	Frequency	Percentage
< 30 years	23	37 %
≥ 30 years	39	63 %
Total	62	100%

Based on table 5.1, it is found that the majority of respondents are >30 years old (63%).

**Tabel 5.2 Frequency Distribution of Respondents Gender**

Sex	Frequency	Percentage
Male	24	100%
Female	38	61%
Total	62	100%

Based on table 5.2, the results obtained by the majority of respondents are female (61%).

**Tabel 5.3 Respondents Education Frequency Distribution**

Level of education	Frequency	Percentage
D III	44	71%
Sarjana	18	29%
Total	62	100%

Based on table 5.3, it is found that the majority of respondents have a Diploma education (71%).

**Tabel 5.4 Description of the factors that influence caring behavior**

Factors that shape caring behavior	Frequency	Percentage
Take effect	47	76%
No effect	15	24%
Total	62	100%

Based on table 5.4, it is found that the factors that influence caring behavior are the majority (76%).

**Tabel 5.5 Description of nurses caring behavior**

Caring Behavior	Frequency	Percentage
Good	58	93%
Not good	4	7%
Total	62	100%

Based on table 5.5, the caring behavior of nurses is good (93%).

**Tabel 5.6 Cross tabulation of the factors that influence caring behavior towards nurses' caring behavior**

	Category	Total
Factors that shape caring behavior	Take effect	47
	No effect	15
	<b>Total</b>	<b>62</b>
Caring's Behavior	Good	58
	Not good	4
	<b>Total</b>	<b>62</b>





Based on the cross tabulation table above, it shows that the factors that influence caring behavior are directly proportional to caring behavior, the more these factors influence the caring behavior the better.

**Tabel 5.7 Differences in the factors that influence caring behavior towards nurse caring behavior**

		Binomial Test				
		Category	N	Observed Prop.	Test Prop.	Exact Sig. (2-tailed)
<b>Factors that shape caring behavior</b>	Group 1	Take effect	47	.76	.50	.000
	Group 2	No effect	15	.24		
	Total		62	1.00		
<b>Caring's Behavior</b>	Group 1	Good	58	.94	.50	.000
	Group 2	Not good	4	.06		
	Total		62	1.00		

The data from this study were analyzed using Binominal One Sample statistical test, the results of the data analysis show the p-value = 0.000 at alpha ( $\alpha$ ) = 0.05. It means that there are differences between the factors that influence caring behavior towards nurse caring behavior so that  $H_a$  is accepted and  $H_0$  is rejected.

### Discussion

Factors that influence caring behavior, including: individual, psychological and organizational factors play an important role in caring behavior, this is because these factors will shape the character of nurses in applying caring behavior in providing nursing care. Caring behavior is an attitude of caring, respecting, and respecting others. Caring behavior is needed by nurses in providing nursing care, because caring is the core of nursing practice (Dwidiyanti, 2007).

The caring application which is the core of nursing care combines biophysical knowledge with knowledge of human behavior which aims to improve health status and help meet the needs of patients while being treated. This caring behavior is needed by nurses when providing nursing care because it forms and respects a system of humanistic and altruistic

values, instills confidence and hope, instills sensitivity to themselves and others, establishes trusting relationships, receives positive and negative responses, resolves problems using systematic methods, enhance interpersonal learning, create an environment to provide physical, mental, socio-cultural and spiritual support, meet basic human needs by maintaining human dignity, and appreciate existential-phenomenological forces (Potter & Perry, 2009). The application of this caring behavior forms the nurses commitment and sense of responsibility in the process of establishing a relationship with the patient where the patients feelings are the main concern.

### Conclusion

There is a relationship between the factors that influence caring behavior and the level of caring behavior. These factors include: individual, psychological and organizational, the better the influence of these factors, the better the nurses caring behavior which includes the following aspects: Knowing, Being With, Doing For, Enabling, and Maintaining Belief. It is hoped that nurses can maintain caring behavior in providing nursing care by maintaining these factors.

# DESCRIPTIVE STUDY OF FACTORS AFFECTING NURSES CARING BEHAVIOR

ORIGINALITY REPORT

10%

SIMILARITY INDEX

## PRIMARY SOURCES

1	Yoani M. Vianney Bitu Aty, Elisabeth Herwanti, Aemilianus Mau, M. Ibraar Ayatullah, Fialisa Asriwardani. "Factors Affecting Nurse Caring Behavior", JURNAL INFO KESEHATAN, 2020 <small>Crossref</small>	84 words — 7%
2	Ani Haryani, Lukmanulhakim .. "Predictors of Nurse's Caring Behavior towards Patients with CriticalIllness", KnE Life Sciences, 2019 <small>Crossref</small>	20 words — 2%
3	teses.usp.br <small>Internet</small>	14 words — 1%
4	infinitypress.info <small>Internet</small>	10 words — 1%

EXCLUDE QUOTES OFF  
EXCLUDE BIBLIOGRAPHY OFF

EXCLUDE MATCHES OFF